Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8221	(led or light near2 emitting near2 diode\$1 or light near2 emit\$5 near2 diode\$1 or light near2 display or optical adj diode or optical adj display\$1 or light near2 indicat\$3 or optical near2 indicat\$3 or illuminated or diode) near6 (indicat\$5 or correspond\$5 or display\$4 or signify or show or symboliz\$5 or illustrat\$5 or relat\$4) near4 (direction or directionality or aligment or align\$3 or bearing or orientation)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 19:46
L2	68	(led or light near2 emitting near2 diode\$1 or light near2 emit\$5 near2 diode\$1 or light near2 display or optical adj diode or optical adj display\$1 or light near2 indicat\$3 or optical near2 indicat\$3 or illuminated or diode) near6 (indicat\$5 or correspond\$5 or display\$4 or signify or show or symboliz\$5 or illustrat\$5 or relat\$4) near4 (direction or directionality or aligment or align\$3 or bearing or orientation) and "398"/\$7.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 19:31
L3	10	("4717913"   "4809360"   "5291325"   "5359448"   "5530576"   "5530578"   "5554979"   "5596648").PN. OR ("5917630"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 19:42
L4	5067	(led or light near2 emitting near2 diode\$1 or light near2 emit\$5 near2 diode\$1 or light near2 display or optical adj diode or optical adj display\$1 or light near2 indicat\$3 or optical near2 indicat\$3 or illuminated or diode) near6 (indicat\$5 or signify or show or symboliz\$5 or illustrat\$5) near4 (direction or directionality or alignment or align\$3 or bearing or orientation)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 19:47

L5	4194	(led or light near2 emitting near2	US-PGPUB;	OR	ON	2006/10/15 19:48
		diode\$1 or light near2 emit\$5 near2 diode\$1 or light near2 display or optical adj diode or optical adj display\$1 or light near2 indicat\$3 or optical near2 indicat\$3 or illuminated or diode) near6 (indicat\$5 or signify\$3 or show or symboliz\$5 or illustrat\$5) near3 (direction or directionality or alignment or orientation)	USPAT; EPO; JPO			
L6	2976	(led or light near2 emitting near2 diode\$1 or light near2 emit\$5 near2 diode\$1 or light near2 display or optical adj diode or optical adj display\$1 or light near2 indicat\$3 or optical near2 indicat\$3 or illuminated or diode) near3 (indicat\$5 or signify\$3 or show or symboliz\$5 or illustrat\$5) near3 (direction or directionality or alignment or orientation)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 19:48
L7	2459	(led or light near2 emitting near2 diode\$1 or light near2 emit\$5 near2 diode\$1 or light near2 display or optical adj diode or optical adj display\$1 or light near2 indicat\$3 or optical near2 indicat\$3 or illuminated or diode) near3 (indicat\$5 or signify\$3 or show or symboliz\$5 or illustrat\$5) near2 (direction or directionality or alignment or orientation)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 19:48
L8	588	(led or light near2 emitting near2 diode\$1 or light near2 emit\$5 near2 diode\$1 or light near2 display or optical adj diode or optical adj display\$1 or light near2 indicat\$3 or optical near2 indicat\$3 or illuminated or diode) near3 (indicat\$5 or signify\$3 or show or symboliz\$5 or illustrat\$5) near2 (direction or directionality or alignment or orientation) same (axis or alignment)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 19:49

			-	· · · · · · · · · · · · · · · · · · ·	,	,
L9	641	(led or light near2 emitting near2 diode\$1 or light near2 emit\$5 near2 diode\$1 or light near2 display or optical adj diode or optical adj display\$1 or light near2 indicat\$3 or optical near2 indicat\$3 or illuminated or diode) near3 (indicat\$5 or signify\$3 or show or symboliz\$5 or illustrat\$5) near2 (direction or directionality or alignment or orientation) same (axis or align\$6)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 19:51
L10	11	(led or light near2 emitting near2 diode\$1 or light near2 emit\$5 near2 diode\$1 or light near2 display or optical adj diode or optical adj display\$1 or light near2 indicat\$3 or optical near2 indicat\$3 or illuminated or diode) near3 (indicat\$5 or signify\$3 or show or symboliz\$5 or illustrat\$5) near2 (direction or directionality or alignment or orientation) same (axis or align\$6) same (compar\$3 or comparator)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 19:52
L11	2	("4360730"   "4772872").PN. OR ("7067797").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 20:05
L12	15	("3901372"   "4193684"   "4819083"   "4949283"   "5063451"   "5308173"   "5311208"   "5478157"   "5634730"   "5685651"   "5825995"   "6398432").PN. OR ("6674543").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 20:08
L13		("3434772"   "3914012"   "4264122"   "4347508"   "5502519"   "5571108"   "5988815").PN. OR ("6554428").URPN.	US-PGPUB; USPAT; USOCR	OR	ON .	2006/10/15 20:19

		(1000740011   11004407711   110055777		T ==		0005410415
L14	80	("0837133"   "2844977"   "3062076"	US-PGPUB;	OR	ON	2006/10/15 22:06
		"3281660"   "3282132"	USPAT; USOCR			
		"3367326"   "3622784"   "3659588" 	USUCK			
		"3683354"   "3757209"   "3782373"   "3814089"   "3836848"				
		"3882287"   "4173228"				
		"4176662"   "4223228"   "4281649"				
		"4317078"   "4338723"				
		"4386532"   "4416289"   "4418422"				
		"4427942"   "4431005"				
		"4432369"   "4445501"   "4517540"				
	i	"4526177"   "4541424"	:			
		"4545106"   "4572198"   "4621628"				
		"4625718"   "4654589"				
		"4657451"   "4708139"   "4739751"				·
		"4779319"   "4781181"				
		"4790694"   "4800873"   "4803976"				
		"4846162"   "4850344"				
		"4865025"   "4877019"   "4905698"				
		"4943770"   "4969889"				
		"4985032"   "4998058"   "5127913"				
		"5152764"   "5178621").PN. OR				
		("5584838").URPN.				
L15	1	"5584838".pn.	US-PGPUB;	OR	ON	2006/10/15 22:42
	_		USPAT;			
			USOCR			
1,10	4	"F062104" pp	LIC DCDUB.	OB	ON	2006/10/15 22:42
L16	1	"5963194".pn.	US-PGPUB;	OR	ON	2006/10/15 22:42
			USPAT; USOCR			
			USUCK	<u>                                     </u>	_	

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	211	398/129.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L2	169	"398"/\$7.ccls. and axis near4 (alignment or calibrat\$5 or aligning)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L3	211	398/129.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L4	169	"398"/\$7.ccls. and axis near4 (alignment or calibrat\$5 or aligning)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L5	152	L4 not L3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L6	17	L4 and L3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L7	10587	"398"/\$7.ccls. and axis near4 (alignment or calibrat\$5 or aligning or steering or steer rotation or ratating or rotated) or beam near5 steering	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L8	703	"398"/\$7.ccls. and (beam near5 steering or axis near4 (alignment or calibrat\$5 or aligning or steering or steer rotation or rotating or rotated))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L9	17	L8 and L6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L10	169	L8 and L4	US-PGPUB; USPAT; EPO; JPO	·OR	ON	2006/10/15 23:10
L11	17	("3511998"   "3566126"   "5121242"   "5142400"   "5390040").PN. OR ("6381055").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 23:10
L12	5	("4943782"   "5822099"   "6292283").PN. OR ("6359712"). URPN.	US-PGPUB; USPAT; USOCR	OR ·	ON	2006/10/15 23:10
L13	7	("4621376"   "4733398"   "4916689").PN. OR ("5026978"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 23:10

L14	694	"398"/\$7.ccls. and (beam near2 steering or beam near2 shifting or axis near4 (alignment or calibrat\$5 or aligning or steering or steer rotation or rotating or rotated))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L15	1220	"398"/\$7.ccls. and (beam near2 steering or beam near2 shifting or beam near2 rotat\$5 or beam near2 align\$6 or axis near4 (align\$5 or calibrat\$5 or steering or steer rotation or rotating or rotated))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L16	580	L15 and (transmitter or tx) and (receiver or rx)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L17	549	L16 and (electrical near2 optical or o/e or e/o or opto?electr\$5 or electro?optic\$5 or electr?5 near4 conver\$5 or optic\$5 near4 conver\$5 or pd or laser or photo?diode or photodiode or light near5 sens\$6 or photodetector or transducer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L18	330	L17 and (wireless or atmospheric or free?space or free adj space or infra?red or infrared)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L19	15	L18 and (coarse or rough) with fine with (rotat\$6 or steer\$5 or adjust\$6 or calibrat\$7)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L20	25	("3504182"   "3511998"   "3566126"   "4867560").PN. OR ("5065455"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 23:10
L21	117	L18 and (level or amplitude or magnitude or power) near4 (detect\$6 or discern\$6 or measure\$6)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 23:10
L22	11	L21 and fine\$2 near3 (rotation or rotating or rotational or rotated or steer\$5 or adjust\$4 or calibrating or calibration or calibrated)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 23:10
L23	11	L21 and fine\$2 near3 (rotation or rotating or rotational or rotated or rotate or steer\$5 or adjust\$4 or calibrating or calibration or calibrated)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 23:10
L24	32	L18 and fine\$2 near3 (rotation or rotating or rotational or rotated or rotate or steer\$5 or adjust\$4 or calibrating or calibration or calibrated) not L22	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 23:10

L25	242	398/131.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 23:10
L26	1	"20040096224"	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 23:10
L27	1	"6504634".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 23:10
L28	1	"20040096224"	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 23:10
L29	703	"398"/\$7.ccls. and (beam near5 steering or axis near4 (alignment or calibrat\$5 or aligning or steering or steer rotation or rotating or rotated))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L30	7	L29 and (search\$3 or tracking or tracked or trackable or scan or scanning or scan\$5) near6 (region or area or displacement) with (intensity or power)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 23:10
L31	1	"6504634".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 23:10
L32	1	"20030144041"	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 23:10

	, , , , , , , , , , , , , , , , , , ,			,		
L33	. 34	(US-20030043435-\$ or US-20030016420-\$ or US-20030016420-\$ or US-20030202796-\$ or US-20030144041-\$ or US-20020181055-\$ or US-20020097472-\$ or US-20040042797-\$ or US-20040042797-\$ or US-20040042797-\$ or US-20040141753-\$ or US-20020131121-\$ or US-20020131121-\$ or US-20020132232-\$ or US-20030076559-\$).did. or (US-7016612-\$ or US-6944403-\$ or US-6925261-\$ or US-690888-\$ or US-658214-\$ or US-6616352-\$ or US-6577421-\$ or US-6473213-\$ or US-6504634-\$ or US-56775480-\$ or US-6381055-\$ or US-6359712-\$ or US-6347001-\$ or US-5065455-\$ or US-6268944-\$).did.	US-PGPUB; USPAT	OR	ON	2006/10/15 23:10
L34	9	L33 and distance with (intensity or power)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L35	1	"20060093379"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L36	98	lewis near2 aronson	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L37	3	L36 and (edc or electronic near3 compensation or electronic near3 dispersion or dispersion near3 compensation)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L38	1	"7016612".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L39	85	398/127.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L40	53	398/137.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L41	138	L39 or L40	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10

L42	17	L41 and (inverse or inverted or inversely or inversion)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L43	4	L41 and (inverse or inverted or inversely or inversion) with distance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L44	27143	"398"/\$7.ccls.and (inverse or inverted or inversely or inversion) with distance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L45	28068	"398"/\$7.ccls.and (inverse or inverted or inversely or inversion) with (span or distance)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L46	21609	"398"/\$7.ccls.and (inverse or inverted or inversely or inversion) near6(span or distance)	US-PGPUB; USPAT; EPO; JPO	·OR	ON	2006/10/15 23:10
L47	1	"20040096224"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L48	9	"6504634"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L49	34	(US-20030076559-\$ or US-20030144041-\$ or US-20040208598-\$ or US-20040047634-\$ or US-200300202796-\$ or US-20030043435-\$ or US-20020031121-\$ or US-20020097472-\$ or US-20020081060-\$ or US-20020122232-\$ or US-20020181055-\$ or US-200201630-\$).did. or (US-6504634-\$ or US-6690888-\$ or US-6925261-\$ or US-6975480-\$ or US-6577421-\$ or US-6493122-\$ or US-6359712-\$ or US-6347001-\$ or US-6097522-\$ or US-5877880-\$ or US-6097522-\$ or US-6658214-\$ or US-6473213-\$ or US-6616352-\$ or US-6381055-\$ or US-6616352-\$ or US-6381055-\$ or US-6268944-\$ or US-5530577-\$).did.	US-PGPUB; USPAT	OR	ON	2006/10/15 23:10
L50	69142	"34" and intermittent	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10

				<del>_</del>		T
L51	34	(US-20030043435-\$ or US-20030016420-\$ or US-20020101630-\$ or US-20030202796-\$ or US-20030144041-\$ or US-20020181055-\$ or US-20020097472-\$ or US-20040042797-\$ or US-20040042797-\$ or US-20040042797-\$ or US-20040141753-\$ or US-20020131121-\$ or US-20020131121-\$ or US-2002013121-\$ or US-20020122232-\$ or US-20030076559-\$).did. or (US-7016612-\$ or US-6944403-\$ or US-6925261-\$ or US-690888-\$ or US-6577421-\$ or US-6616352-\$ or US-6577421-\$ or US-6473213-\$ or US-6504634-\$ or US-6473213-\$ or US-6504634-\$ or US-6473213-\$ or US-6504634-\$ or US-6493122-\$ or US-6504634-\$ or US-6493122-\$ or US-6381055-\$ or US-6359712-\$ or US-63847001-\$ or US-5065455-\$ or US-6268944-\$).did.	US-PGPUB; USPAT	OR	ON	2006/10/15 23:10
L52	. 9	L51 and distance with (intensity or power)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L53	0	L52 and intermit\$6 with (transmit\$4 or transmision)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L54	1	L51 and intermit\$6 with (transmit\$4 or transmision)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
L55	94	"398"/\$7.ccls. and intermit\$6 with (transmit\$4 or transmision)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/15 23:10
S1	204	398/129.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/18 11:28
S2	168	"398"/\$7.ccls. and axis near4 (alignment or calibrat\$5 or aligning)	US-PGPUB; USPAT; EPO; JPO	OR .	ON	2006/08/18 14:59
S3	204	398/129.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/18 14:59
S4	168	"398"/\$7.ccls. and axis near4 (alignment or calibrat\$5 or aligning)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/18 15:05

			I	1	T	<u> </u>
S5	151	S4 not S3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/18 14:59
S6	17	S4 and S3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/18 15:05
S7	10380	"398"/\$7.ccls. and axis near4 (alignment or calibrat\$5 or aligning or steering or steer rotation or ratating or rotated) or beam near5 steering	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/18 15:06
S8	695	"398"/\$7.ccls. and (beam near5 steering or axis near4 (alignment or calibrat\$5 or aligning or steering or steer rotation or rotating or rotated))	US-PGPUB; USPAT; EPO; JPO	OR ·	ON	2006/08/18 15:21
S9	168	S8 and S4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/18 15:08
S10	17	S8 and S6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/18 15:08
S11	15	("3511998"   "3566126"   "5121242"   "5142400"   "5390040").PN. OR ("6381055").URPN.	US-PGPUB; USPAT; USOCR	OR ·	ON	2006/08/18 15:16
S12	5	("4943782"   "5822099"   "6292283").PN. OR ("6359712"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/18 15:18 .
S13	7	("4621376"   "4733398"   "4916689").PN. OR ("5026978"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/18 15:21
S14	685	"398"/\$7.ccls. and (beam near2 steering or beam near2 shifting or axis near4 (alignment or calibrat\$5 or aligning or steering or steer rotation or rotating or rotated))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/18 15:22
S15	1199	"398"/\$7.ccls. and (beam near2 steering or beam near2 shifting or beam near2 rotat\$5 or beam near2 align\$6 or axis near4 (align\$5 or calibrat\$5 or steering or steer rotation or rotating or rotated))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/18 15:23
S16	571	S15 and (transmitter or tx) and (receiver or rx)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/18 15:23

S17	540	S16 and (electrical near2 optical or o/e or e/o or opto?electr\$5 or electro?optic\$5 or electr?5 near4 conver\$5 or optic\$5 near4 conver\$5 or pd or laser or photo?diode or photodiode or light near5 sens\$6 or photodetector or transducer)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/18 15:25
S18	325	S17 and (wireless or atmospheric or free?space or free adj space or infra?red or infrared)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/18 15:27
S19	15	S18 and (coarse or rough) with fine with (rotat\$6 or steer\$5 or adjust\$6 or calibrat\$7)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/18 15:36
S20	25	("3504182"   "3511998"   "3566126"   "4867560").PN. OR ("5065455").   URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/18 15:42
S21	115	S18 and (level or amplitude or magnitude or power) near4 (detect\$6 or discern\$6 or measure\$6)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/18 15:49
S22	11	S21 and fine\$2 near3 (rotation or rotating or rotational or rotated or steer\$5 or adjust\$4 or calibrating or calibration or calibrated)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/18 15:52
S23	11	S21 and fine\$2 near3 (rotation or rotating or rotational or rotated or rotate or steer\$5 or adjust\$4 or calibrating or calibration or calibrated)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/18 15:54
S24	32	S18 and fine\$2 near3 (rotation or rotating or rotational or rotated or rotate or steer\$5 or adjust\$4 or calibrating or calibration or calibrated) not S22	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/18 15:57
S25	236	398/131.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/18 16:47
S26	1	"20040096224"	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/19 15:54
S27	1	"6504634".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/19 16:58
S28	1	"20040096224"	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/19 17:49

S29	695	"398"/\$7.ccls. and (beam near5 steering or axis near4 (alignment or calibrat\$5 or aligning or steering or steer rotation or rotating or rotated))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/19 17:51	
S30	7	S29 and (search\$3 or tracking or tracked or trackable or scan or scanning or scan\$5) near6 (region or area or displacement) with (intensity or power)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/19 18:27	
S31	1	"6504634".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/19 18:46	
S32	1	"20030144041"	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/19 18:46	
S33	34	(US-20030043435-\$ or US-20030016420-\$ or US-20020101630-\$ or US-20030202796-\$ or US-20030144041-\$ or US-20020181055-\$ or US-20020097472-\$ or US-20040042797-\$ or US-20040042797-\$ or US-20040042797-\$ or US-20040141753-\$ or US-20020131121-\$ or US-20020131121-\$ or US-20020122232-\$ or US-20020122232-\$ or US-20030076559-\$).did. or (US-7016612-\$ or US-6944403-\$ or US-6658214-\$ or US-6616352-\$ or US-6577421-\$ or US-6473213-\$ or US-6577421-\$ or US-6473213-\$ or US-6504634-\$ or US-5877880-\$ or US-6347001-\$ or US-5877880-\$ or US-6347001-\$ or US-5065455-\$ or US-6347001-\$ or US-5065455-\$ or US-6268944-\$).did.	US-PGPUB; USPAT	OR	ON	2006/08/19 18:49	
S34	9	S33 and distance with (intensity or power)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/19 22:06	
S35	1	"20060093379"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/19 22:22	
S36	95	lewis near2 aronson	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/19 22:55	

S37	3	S36 and (edc or electronic near3 compensation or electronic near3 dispersion or dispersion near3 compensation)	US-PGPUB; USPAT; EPO; JPO	OR .	ON	2006/08/19 22:42
S38	1	"7016612".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/20 23:39
S39	84	398/127.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/20 23:39
S40	50	398/137.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/20 23:40
S41	134	S39 or S40	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/20 23:40
S42	17	S41 and (inverse or inverted or inversely or inversion)	US-PGPUB; USPAT; EPO; JPO	OR	ON .	2006/08/20 23:41
S43	4	S41 and (inverse or inverted or inversely or inversion) with distance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/20 23:42
S44	94	"398"/\$7.ccls.and (inverse or inverted or inversely or inversion) with distance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/20 23:42
S45	120	"398"/\$7.ccls.and (inverse or inverted or inversely or inversion) with (span or distance)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/20 23:43
S46	87	"398"/\$7.ccls.and (inverse or inverted or inversely or inversion) near6(span or distance)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/21 08:18
S47	1	"20040096224"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/21 08:23
S48		"6504634"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/21 08:28

	<b>,</b>		•		,	,
549	34	(US-20030076559-\$ or US-20030144041-\$ or US-20040208598-\$ or US-20040141753-\$ or US-20040047634-\$ or US-20030202796-\$ or US-20030043435-\$ or US-20020097472-\$ or US-20020081060-\$ or US-20020181055-\$ or US-20020181055-\$ or US-2002016420-\$ or US-2002016430-\$).did. or (US-6504634-\$ or US-6690888-\$ or US-6925261-\$ or US-6775480-\$ or US-6577421-\$ or US-6493122-\$ or US-6359712-\$ or US-6347001-\$ or US-6097522-\$ or US-6504634-\$ or US-6658214-\$ or US-6473213-\$ or US-6616352-\$ or US-6473213-\$ or US-6616352-\$ or US-6381055-\$ or US-6268944-\$ or US-5530577-\$).did.	US-PGPUB; USPAT	OR	ON	2006/08/21 08:28
S50	68140	"34" and intermittent	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/21 08:28
S51	34	(US-20030043435-\$ or US-20030016420-\$ or US-20030016420-\$ or US-20030202796-\$ or US-20030144041-\$ or US-20020181055-\$ or US-2002097472-\$ or US-20040042797-\$ or US-20040042797-\$ or US-20040042797-\$ or US-20040141753-\$ or US-20020131121-\$ or US-20020131121-\$ or US-20020122232-\$ or US-20030076559-\$).did. or (US-7016612-\$ or US-6944403-\$ or US-6658214-\$ or US-6616352-\$ or US-6577421-\$ or US-6473213-\$ or US-6504634-\$ or US-65775480-\$ or US-6381055-\$ or US-6359712-\$ or US-6387001-\$ or US-5065455-\$ or US-6368944-\$).did.	US-PGPUB; USPAT	OR	ON	2006/08/21 08:29

S52	9	S51 and distance with (intensity or power)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/21 08:29
S53	0	S52 and intermit\$6 with (transmit\$4 or transmision)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/21 08:29
S54	1	S51 and intermit\$6 with (transmit\$4 or transmision)	US-PGPUB; USPAT; EPO; JPO	OR .	ON	2006/08/21 08:30
S55	94	"398"/\$7.ccls. and intermit\$6 with (transmit\$4 or transmision)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/21 08:30

10/15/2006 11:14:30 PM C:\Documents and Settings\kmalkowski\My Documents\EAST\Workspaces\10666730\_wireless\_axis\_align.wsp